

A detailed customer instruction guide for Surf & Turf's

MESH SIDEWALLS

Thank you for purchasing
Surf & Turf Instant Shelter Mesh Sidewalls.

These walls are designed to be simple and easy to use. However,
please read through these instructions thoroughly prior to use.



Step 1:

After erecting your Instant Shelter, retrieve your male and female banner bar pieces and their brackets. Connect the banner bar pieces together and secure the spring loaded pin into the first hole.



Step 2:

The brackets are designed to “pinch” the banner bar. Feed the bolt through one half of the clamp and then through the end of the banner bar as seen right.

**If you have a Canopro Lite or Elite shelter, please see last page.*



Step 3:

After the banner bar is placed as per step two, thread the other half of the clamp and secure with the nut as seen right.



Step 4:

With one end of the banner bar clamped to the shelter, feed the banner bar through the sleeve at the top of the wall and slide it across. The top of the wall can be identified by the three buckle straps.

This method is helpful if setting up by yourself to keep the wall clean and off the ground as much as possible. (Keep the next bracket in your pocket)



Step 5:

Repeat to connect the second top bracket and finish securing the top banner bar.



Step 6:

Repeat the process to install the bottom banner bar. This time, feed the bar through the wall sleeve first, and then connect your brackets.



Step 7:

The wall is designed as a tight fit to prevent sagging. Before placing the velcro straps around the legs, make sure the wall is centered on the banner bar. You should have 1"-1.5" between the end of the wall and the shelter leg on both sides.

When securing the other side, pull tight and assess the level of tension on both sides.



Step 8:

To further assist in the prevention of sagging, loop the buckle straps around the top most piece of crossbar directly above it. Pull the slack tight so that it releases tension from the banner bar.




Step 9:

You're ready to hang your work! Feed your hooks through the mesh panel and place your artwork as you see fit.



That's it! You have now set-up your Surf & Turf Mesh Sidewall.

Note: While we have stress tested the mesh to the highest appropriate degree, please assess the weight of the work you are hanging. Artisans that create custom wood pieces or laser cut steel for example, may want to slightly space out their work to distribute more weight as opposed to a painter hanging canvas.



Note about Lite & Elite brackets:

As seen left, these two brackets have different orientations, but they belong to the same piece of banner bar.

Before installation, assess which one of these clamps fits to the left and which fits to the right shelter leg.

For anymore information regarding your Surf & Turf Instant Shelter and/or its accessories, please reach out to our office.